MedImmune

25 March 2010

Field Correction: Important Information Regarding Influenza A (H1N1) 2009 Monovalent Vaccine Live, Intranasal Expiration Dating

This letter is to inform you that some lots of Influenza A (H1N1) 2009 Monovalent Vaccine Live, Intranasal have a shorter expiration period than that indicated on the label. The following lots are affected by the shorter dating period:

Influenza A (H1N1) 2009 Monovalent Vaccine Live, Intranasal Expiration Date Update

Product Code (NDC)	Lot Number	Labeled Expiration Date	Re-Assigned Expiration Date
66019-200-05	500850P	3/30/2010	3/29/2010
	500851P	4/2/2010	3/29/2010
	500852P	4/5/2010	3/29/2010
	500854P	3/30/2010	3/29/2010
	500855P	4/1/2010	3/29/2010
	500856P	4/4/2010	3/29/2010
	500857P	4/7/2010	3/29/2010
	500871P	3/31/2010	3/29/2010
	500873P	4/6/2010	3/29/2010
	500874P	4/8/2010	3/29/2010
	500875P	4/10/2010	3/29/2010
	500876P	4/12/2010	3/29/2010
	500890P	4/8/2010	3/29/2010
	500891P	4/11/2010	3/29/2010
	500893P	4/16/2010	3/29/2010

These lots should be used by March 29, 2010 as indicated in the table above regardless of the expiration date imprinted on the sprayer.

2122_01_01AD

Please see accompanying Prescribing Information for indications and usage, dosage and administration, and safety information.

Should you have any questions regarding this information, please contact us at:

1-877-633-4411

Sincerely,



Timothy J. Maines
Vice President, Corporate Quality Assurance
MedImmune, LLC

2122_01_01BD

MedImmune

PLEASE COMPLETE THIS FORM AND RETURN VIA FAX TO 1-866-654-0892.

BUSINESS REPLY FORM

☐ **I acknowledge that I will not use these products past the revised expiration date of March 29, 2010.**

Influenza A (H1N1) 2009 Monovalent Vaccine Live, Intranasal
Expiration Dating

Product Code (NDC)	Lot Number	Labeled Expiration Date	Re-Assigned Expiration Date	Quantity on Hand
66019-200-05	500850P	3/30/2010	3/29/2010	
	500851P	4/2/2010	3/29/2010	
	500852P	4/5/2010	3/29/2010	
	500854P	3/30/2010	3/29/2010	
	500855P	4/1/2010	3/29/2010	
	500856P	4/4/2010	3/29/2010	
	500857P	4/7/2010	3/29/2010	
	500871P	3/31/2010	3/29/2010	
	500873P	4/6/2010	3/29/2010	
	500874P	4/8/2010	3/29/2010	
	500875P	4/10/2010	3/29/2010	
	500876P	4/12/2010	3/29/2010	
	500890P	4/8/2010	3/29/2010	
	500891P	4/11/2010	3/29/2010	
	500893P	4/16/2010	3/29/2010	

Signature

Date

Event 2122
ID 27818887
HAMA[illegible] C[illegible]TY [illegible]H [illegible]

SAMPLE

STERICYCLE
(800) 668-4391
2670 EXECUTIVE DR SUITE A
INDIANAPOLIS IN 46241

LTR 1 OF 1

SHIP TO:
ATTN: MATERIALS MANAGE
N/A
HAMARION C[illegible] DEP[illegible]ENT
3930 GE[illegible]GE[illegible]R

INDIA[illegible]IS IN 46254

SAMPLE

IN 462 9-03

UPS NEXT DAY AIR SAVER

TRACKING: 1Z A0Y 770 13 2023 3092

1P

BILLING: P/P

N27818887D2122-2738

URC99.5A 01/2010