

Montana Health Alert Network

# DPHHS HAN

## ADVISORY

### Cover Sheet



#### DATE

April 2, 2026

#### SUBJECT

Medetomidine in the U.S. Illegal Fentanyl Supply Increasing Risk for Overdose and Severe Withdrawal Syndrome

#### INSTRUCTIONS

**DISTRIBUTE** to your local HAN contacts. This HAN is intended for general sharing of information.

- Time for Forwarding: **As Soon As Possible**

**For LOCAL & TRIBAL HEALTH DEPARTMENT reference only**

For more information regarding this HAN, contact:

DPHHS PHSD

**Sandra Biller, Overdose Prevention Epidemiologist**

Phone: 1-406-444-3170

[Sandra.Biller@Mt.Gov](mailto:Sandra.Biller@Mt.Gov)

**Emergency Preparedness**

Phone: 1-406-444-3075

*For technical issues related to the HAN message, contact the Emergency Preparedness Section at 1-406-444-0919*

DPHHS HAN Website:

<https://dphhs.mt.gov/publichealth/phep/han>

## REMOVE THIS COVER SHEET BEFORE REDISTRIBUTING AND REPLACE IT WITH YOUR OWN

Please ensure that DPHHS is included on your HAN distribution list.

[hhshan@mt.gov](mailto:hhshan@mt.gov)

#### Categories of Health Alert Messages:

**Health Alert:** conveys the highest level of importance; warrants immediate action or attention.

**Health Advisory:** provides important information for a specific incident or situation; may not require immediate action.

**Health Update:** provides updated information regarding an incident or situation; unlikely to require immediate action.

**Information Service:** passes along low level priority messages that do not fit other HAN categories and are for informational purposes only.

Please update your HAN contact information on the Montana Public Health Directory.

# DPHHS HAN

## Information Sheet



### DATE

April 2, 2026

### SUBJECT

Medetomidine in the U.S. Illegal Fentanyl Supply Increasing Risk for Overdose and Severe Withdrawal Syndrome

### SUMMARY

The Centers for Disease Control and Prevention (CDC) and the White House Office of National Drug Control Policy (ONDCP) have issued a Health Advisory to notify public health professionals, clinicians, laboratorians, and people at risk for overdose about increasing reports from U.S. jurisdictions detecting [medetomidine \[cdc.gov\]](https://www.cdc.gov/medetomidine) in the illegal drug supply and a severe withdrawal syndrome due to medetomidine exposure.

Medetomidine (also known as 'rhino tranq,' 'mede,' or 'dex') is not approved for human use but is approved for sedation and analgesia in dogs. Its dextro-isomer, dexmedetomidine, is approved for procedural sedation in humans. Medetomidine has been increasingly detected in law enforcement drug seizures, drug product and paraphernalia samples, and in wastewater samples, with the highest concentrations in the Northeast region. Testing of illegal drug samples and clinical specimens has identified racemic mixtures of levomedetomidine and dexmedetomidine isomers without the preservatives commonly found in medical or veterinary formulations, making diversion of pharmaceutical products unlikely. Since pharmaceutical-grade products contain only dexmedetomidine, these findings suggest medetomidine is being synthesized in clandestine laboratories.

Medetomidine can cause profound sedation, bradycardia, and hypotension. Stopping medetomidine following regular use may lead to severe withdrawal, similar to clonidine withdrawal, with symptoms including hypertension, anxiety, nausea, vomiting, and fluctuating alertness, that can require emergency or intensive care. Because fentanyl is involved in most overdoses involving medetomidine, opioid overdose reversal medications (OORM; e.g., [naloxone \[cdc.gov\]](https://www.cdc.gov/naloxone)) should be administered to restore normal breathing in suspected overdoses.

Public health professionals can use syndromic surveillance to detect medetomidine-related intoxication or withdrawal signs and symptoms. Public health and public safety agencies and clinicians should collaborate to monitor the local drug supply and share timely information to align clinical and public health action. Clinicians should consider medetomidine in suspected opioid overdoses with prolonged sedation unresponsive to OORM administration, consult a toxicologist or [poison control \[poisonhelp.org\]](https://www.poisoncontrol.org) at 1-800-222-1222, and report unusual cases to the appropriate [health department \[libraries.cste.org\]](https://www.healthdepartment.org).

### BACKGROUND

See CDC HAN 00527.

## **INFORMATION**

There is limited data on medetomidine in Montana. It has been found present in two seized drug samples – one in 2025 and one in 2026. It has not been detected in any unintentional drug overdose deaths to-date.

## **RECOMMENDATIONS**

See CDC HAN 00527.

## **CDC HAN FULL REPORT**

Please use the following link to access the full CDC HAN:

- <https://www.cdc.gov/han/php/notices/han00527.html>